

7

63

111

253

Contents

Marine Geology Volume 159, 1999

Letter Section

- The Lofoten contourite drift off Norway
- J.S. Laberg, T.O. Vorren and S.-M. Knutsen

Research Papers

- Early diagenesis: impact of organic matter on mass physical properties and processes, California continental
- Morphology and history of the Kermadec trench-arc-backarc basin-remnant arc system at 30 to 32°S: geophysical profile, microfossil and K-Ar data
- P.F. Ballance, A.G. Ablaev, I.K. Pushchin, S.P. Pletnev, M.G. Birylina, T. Itaya, H.A. Follas and G.W. Gibson.

 Variations of biogenic particle flux in the southern Atlantic section of the Subantarctic Zone during the late
- Quaternary: Evidence from sedimentary ²³¹Pa_{ex} and ²³⁰Th_{ex}
 T. Asmus, M. Frank, C. Koschmieder, N. Frank, R. Gersonde, G. Kuhn and A. Mangini.
- A record of glacial/interglacial alternations in Pleistocene sediments off New Jersey expressed by clay mineral,

- Abyssal circulation around New Zealand—a comparison between observations and a global circulation model

374 Contents

Accumulation of late Pleistocene and Holocene biogenic sands and gravels on the continental shelf between northern Scotland and western France	
A.H. Stride, J.B. Wilson and D. Curry	273
Ripple formation induced by biogenic mounds	210
J.S. Fries, C.A. Butman and R.A. Wheatcroft.	287
Storm impact and evolution of a mangrove-fringed chenier plain, Shoal Bay, Darwin, Australia	
C.D. Woodroffe and D. Grime	303
Relative sea-level changes in the last 5500 years in southern Brazil (Laguna-Imbituba region, Santa Catarina State) based on vermetid ¹⁴ C ages	
R.J. Angulo, P.C.F. Giannini, K. Suguio and L.C.R. Pessenda.	323
Local wave climate and long-term bed shear stress characteristics in Monterey Bay, CA	
J.P. Xu	341
A laboratory evaluation of the laser in situ scattering and transmissometery instrument using natural sediments	
P. Traykovski, R.J. Latter and J.D. Irish	355
Author Index 159 (1999)	369

